#### **SOLTHERM STC-P**

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: SOLTHERM STC-P

#### Other means of identification:

Non-applicable

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: SOLTHERM STC-P the silicone top coat (organosilicone) providesdecorative, renovation and protective top coats to

masonry walls. It is ideal for primary paint coating and recoating.

Uses advised against: All uses not specified in this section or in section 7.3

### 1.3 Details of the supplier of the safety data sheet:

BOLIX SA ul. Stolarska 8

34 - 300 Żywiec - śląskie - Polska

Phone: +48 47 50 610 - Fax: +48 47 50 612

laboratorium@bolix.pl

www.bolix.pl

**1.4 Emergency telephone number:** 801 650 222 – Mon.-Fri. between 8.00 - 16.00

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

#### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

#### **Hazard statements:**

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P273: Avoid release to the environment.

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality.

### **Supplementary information:**

EUH208: Contains octhilinone (ISO), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

### 3.1 Substance:

Non-applicable

## 3.2 Mixture:

**Chemical description:** Aqueous mixture of silicone dispersion, fillers, pigments, biocides and

#### Components

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification		Concentration
CAS:		Pyrithione zinc(1)	ATP ATP15	
EC: Index: REACH:	236-671-3 613-333-00-7 01-2119511196-46- XXXX	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Repr. 1B: H360D; STOT RE 1: H372 - Danger	<0,01 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

Revised: 01/02/2022 Version: 6 (Replaced5) Page 1/13

#### **SOLTHERM STC-P**

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification			
CAS:	886-50-0	Terbutryn(1)	Self-classified			
EC: 212-950-5 Index: Non-applicable REACH: Non-applicable Regulation 1272/20		Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	<0,01 %		
CAS:	26530-20-1	octhilinone (ISO)(1)	ATP ATP15			
EC: Index: REACH:	247-761-7 613-112-00-5 01-2120768921-45- XXXX	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1: H314; Skin Sens. 1A: H317; EUH071 - Danger	<0,005 %		
CAS: EC:	55965-84-9 Non-applicable	reaction mass of 5-ch one (3:1) <sup>(1)</sup>	loro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- ATP ATP13			
Index: REACH:	613-167-00-5 Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<0,0015 %		

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

	Identification			M-factor
Pyrithione zinc			Acute	1000
CAS: 13463-41-7	EC: 236-671-3		Chronic	10
Terbutryn			Acute	100
CAS: 886-50-0	EC: 212-950-5		Chronic	100
octhilinone (ISO)			Acute	100
CAS: 26530-20-1	EC: 247-761-7		Chronic	100
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		Acute	100	
CAS: 55965-84-9	EC: Non-applicable		Chronic	10

Identification	Specific concentration limit
EC: 247-761-7	% (w/w) >=0,0015: Skin Sens. 1A - H317
CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1C - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,6: Eye Dam. 1 - H318 0,06<= % (w/w) <0,6: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317

<sup>\*\*</sup> Changes with regards to the previous version

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

## By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

## By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

## By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 2/13

#### **SOLTHERM STC-P**

#### SECTION 4: FIRST AID MEASURES (continued)

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

See section 8.

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

 $\mbox{\ensuremath{B.\text{-}}}$  Technical recommendations for the prevention of fires and explosions

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 3/13

#### **SOLTHERM STC-P**

## SECTION 7: HANDLING AND STORAGE (continued)

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 25 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

2021 Code of Practice for the Chemical Agents Regulations:

Identification		Occupational exposure limits		
zinc oxide		OEL (8h)	2 mg/m <sup>3</sup>	
CAS: 1314-13-2	EC: 215-222-5	OEL (15 min)	10 mg/m <sup>3</sup>	

## DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Pyrithione zinc	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 13463-41-7	Dermal	Non-applicable	Non-applicable	0.01 mg/kg	Non-applicable
EC: 236-671-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable

### **DNEL (General population):**

Non-applicable

#### PNEC:

Identification				
Pyrithione zinc	STP	0.01 mg/L	Fresh water	0.00009 mg/L
CAS: 13463-41-7	Soil	1.02 mg/kg	Marine water	0.00009 mg/L
EC: 236-671-3	Intermittent	Non-applicable	Sediment (Fresh water)	0.009 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.009 mg/kg
octhilinone (ISO)	STP	Non-applicable	Fresh water	0.0022 mg/L
CAS: 26530-20-1	Soil	0.0082 mg/kg	Marine water	0.00022 mg/L
EC: 247-761-7	Intermittent	0.00122 mg/L	Sediment (Fresh water)	0.0475 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.00475 mg/kg

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 4/13

#### **SOLTHERM STC-P**

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

#### C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

#### E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

#### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
<b>†</b>	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>O</b> + T	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

## **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

According Directive 2004/42/EC the product has been classified as Category A/c/FW. Permissible VOC content 40 g/l. The product contains up to 40 g/l of VOC.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 5/13

## **SOLTHERM STC-P**

SECT	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)				
	For complete information see the product datasheet.				
	Appearance:				
	Physical state at 20 °C:	Liquid			
	Appearance:	viscous liquid			
	Color:	White or compliant with the specification			
	Odor:	Characteristic			
	Odour threshold:	Non-applicable *			
	Volatility:				
	Boiling point at atmospheric pressure:	Non-applicable *			
	Vapour pressure at 20 °C:	Non-applicable *			
	Vapour pressure at 50 °C:	Non-applicable *			
	Evaporation rate at 20 °C:	Non-applicable *			
	Product description:				
	Density at 20 °C:	approx 1500 kg/m³			
	Relative density at 20 °C:	Non-applicable *			
	Dynamic viscosity at 20 °C:	Non-applicable *			
	Kinematic viscosity at 20 °C:	Non-applicable *			
	Kinematic viscosity at 40 °C:	Non-applicable *			
	Concentration:	Non-applicable *			
	pH:	8 -9			
	Vapour density at 20 °C:	Non-applicable *			
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *			
	Solubility in water at 20 °C:	Non-applicable *			
	Solubility properties:	Non-applicable *			
	Decomposition temperature:	Non-applicable *			
	Melting point/freezing point:	Non-applicable *			
	Flammability:				
	Flash Point:	Non Flammable (>60 °C)			
	Flammability (solid, gas):	Non-applicable *			
	Autoignition temperature:	Non-applicable *			
	Lower flammability limit:	Non-applicable *			
	Upper flammability limit:	Non-applicable *			
	Particle characteristics:				
	Median equivalent diameter:	Non-applicable			
9.2	Other information:				
	Information with regard to physical hazard classe	S:			
	Explosive properties:	Non-applicable *			
	Oxidising properties:	Non-applicable *			
	Corrosive to metals:	Non-applicable *			
	Heat of combustion:	Non-applicable *			
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *			
	Other safety characteristics:				
	Surface tension at 20 °C:	Non-applicable *			
	Refraction index:	Non-applicable *			
	*Not relevant due to the nature of the product, not providing informa	tion property of its hazards.			

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 6/13

#### **SOLTHERM STC-P**

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

## 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
Not applicable Not applicable		Not applicable	Not applicable	Not applicable	

#### 10.5 Incompatible materials:

Acids	Acids Water		Combustible materials	Others	
Avoid strong acids Not applicable		Avoid direct impact	Not applicable	Avoid alkalis or strong bases	

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 7/13

#### **SOLTHERM STC-P**

## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification		Acute toxicity	
Pyrithione zinc	LD50 oral	221 mg/kg	Rat
CAS: 13463-41-7	LD50 dermal	Non-applicable	
EC: 236-671-3	LC50 inhalation	0.14 mg/L (4 h)	Rat
Terbutryn	LD50 oral	344 mg/kg	Rat
CAS: 886-50-0	LD50 dermal	Non-applicable	
EC: 212-950-5	LC50 inhalation	Non-applicable	
octhilinone (ISO)	LD50 oral	125 mg/kg	
CAS: 26530-20-1	LD50 dermal	311 mg/kg	
EC: 247-761-7	LC50 inhalation	Non-applicable	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87.12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	0.33 mg/L (4 h)	Rat

## 11.2 Information on other hazards:

## **Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

### Other information

Non-applicable

## **SOLTHERM STC-P**

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Toxicity:

## **Acute toxicity:**

Identification		Concentration	Species	Genus
Pyrithione zinc	LC50	1 mg/L (96 h)		
CAS: 13463-41-7	EC50	1 mg/L (48 h)	Skeletonema costatum	Algae
EC: 236-671-3	EC50	Non-applicable		
Terbutryn	LC50	>0.1 - 1 (96 h)		Fish
CAS: 886-50-0	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 212-950-5	EC50	>0.1 - 1 (72 h)		Algae
octhilinone (ISO)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 26530-20-1	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 247-761-7	EC50	>0.1 - 1 (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 (72 h)		Algae

## **Chronic toxicity:**

Identification	Concentration		Species	Genus	
Pyrithione zinc	NOEC	Non-applicable			
CAS: 13463-41-7 EC: 236-671-3	NOEC	0.022 mg/L	Daphnia magna	Crustacean	

## 12.2 Persistence and degradability:

Not available

## 12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential		
Terbutryn	BCF		
CAS: 886-50-0	Pow Log	3.74	
EC: 212-950-5	Potential		

## 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Terbutryn	Koc	700	Henry	2.128E-3 Pa·m³/mol
CAS: 886-50-0	Conclusion	Moderate	Dry soil	Non-applicable
EC: 212-950-5	Surface tension	Non-applicable	Moist soil	Non-applicable

## 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 9/13

#### **SOLTHERM STC-P**

## SECTION 12: ECOLOGICAL INFORMATION (continued)

#### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

#### 12.7 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1 UN number or ID number: Non-applicable
 14.2 UN proper shipping name: Non-applicable
 14.3 Transport hazard class(es): Non-applicable
 Labels: Non-applicable
 14.4 Packing group: Non-applicable

14.5 Environmental hazards: No

14.6 Special precautions for user

Special regulations:
Non-applicable
Tunnel restriction code:
Physico-Chemical properties:
Limited quantities:
Non-applicable
Non-applicable
Non-applicable

according to IMO

instruments:

Transport of dangerous goods by sea:

With regard to IMDG 40-20:

- CONTINUED ON NEXT PAGE -

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 10/13

#### **SOLTHERM STC-P**

#### SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number or ID number: Non-applicable
 14.2 UN proper shipping name: Non-applicable
 14.3 Transport hazard class(es): Non-applicable
 Labels: Non-applicable
 14.4 Packing group: Non-applicable

**14.5 Marine pollutant:** No

14.6 Special precautions for user

Special regulations: Non-applicable

EmS Codes:

Physico-Chemical properties: see section 9
Limited quantities: Non-applicable
Segregation group: Non-applicable

14.7 Maritime transport in bulk Non-applicable

according to IMO instruments:

Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:

14.1 UN number or ID number: Non-applicable
 14.2 UN proper shipping name: Non-applicable
 14.3 Transport hazard class(es): Non-applicable
 Labels: Non-applicable
 14.4 Packing group: Non-applicable

14.5 Environmental hazards: No

14.6 Special precautions for user

Physico-Chemical properties: see section 9 **14.7 Maritime transport in bulk** Non-applicable

according to IMO instruments:

## SECTION 15: REGULATORY INFORMATION \*\*

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), Terbutryn, Pyrithione zinc, octhilinone (ISO).

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Pyrithione zinc (Product-type 2, 6, 7, 9, 10, 21); Terbutryn (Product-type 7, 9, 10); octhilinone (ISO) (Product-type 6, 7, 8, 9, 10, 11, 13); reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

## Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### **SOLTHERM STC-P**

#### SECTION 15: REGULATORY INFORMATION (continued)

#### Other legislation:

Chemicals (Amendment) Act 2010 (No. 32 of 2010) as amended by S.I. No. 623/2015- Safety, Health and Welfare at Work (Chemical Agents) (Amendment) Regulations 2015

Chemicals Act 2008 (No. 13 of 2008)

Safety, Health and Welfare (chemical agents) (amendment) regulations 2021 (S.I. No. 232 of 2021) and associated Code of Practice Chemical Agents Regulations (S.I. No. 619 of 2001)

European Communities (Waste Directive) Regulations, S.I. No. 126 of 2011

S.I. No. 315/2016 - European Union (Waste Directive) (Amendment) Regulations 2016.

S.I. No. 323/2020 - European Union (Waste Directive) Regulations 2020

Chemicals Act (Control of Major Accident Hazards involving Dangerous Substances) Regulations 2015 (S.I. No. 209 of 2015)

The Chemicals Act (CLP Regulation) Regulations 2011 (S.I. No. 102 of 2011)

\*\* Changes with regards to the previous version

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

#### **SECTION 16: OTHER INFORMATION**

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

-

#### Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 2: H330 - Fatal if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Repr. 1B: H360D - May damage the unborn child.

Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure.

## Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

## **Abbreviations and acronyms:**

#### **SOLTHERM STC-P**

## SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Revised: 01/02/2022 Version: 6 (Replaced 5) Page 13/13