



SOLTHERM

DESIGN COLLECTION & PANELS

SOLTHERM DESIGN COLLECTION

DESIGN COLLECTION & SOLTHERM PANELS **BASED ON EXPERIENCE**

SOLTHERM DESIGN COLLECTION & SOLTHERM PANELS

SOLTHERM WOOD EFFECT PANEL

A solution, which combines the timeless appeal of wooden decorative elements with reliability and robustness of modern finishes. It will give a unique effect of wood board to your walls. With SOLTHERM WOOD EFFECT PANEL you no longer have to worry about wood treatment and maintenance. The method of installation, flexibility and weight make it possible to quickly and easily gain a unique board effect on the facade in the selected colour.

SOLTHERM WOOD EFFECT PANELS COLOURS



MAHOGANY (BWD P 55)



DARK OAK (BWD P 54)



MEDIUM BROWN (BWD P 57)



NUT (BWD P 56)



GOLDEN OAK (BWD P 51)



GREY (BWD P 59)



EBONY (BWD P 60)



NATURAL OAK (BWD P 52)



CREME (BWD P 58)



WHITE OAK (BWD P 53)



COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
ADHESIVE	SOLTHERM DA-P PANEL	kg	2,80	2,80
SOLTHERM WOOD EFFECT PANEL/ SOLTHERM WOOD SLIM EFFECT PANEL	SOLTHERM WOOD EFFECT PANEL/ SOLTHERM WOOD SLIM EFFECT PANEL	pcs.	3 6	3 6
PRIMER	SOLTHERM T	kg	0,20	0,10 ÷ 0,30
FINISH GLAZE	SOLTHERM DECO LAZUR	l	0,12	0,12

SOLTHERM WALL SLATS WOOD PANEL

Panels with a lamella look are definitely a favorite for decorative effects. Cement-resin panels are ready decorative elements for installation, they will work well both on the facade and as interior decoration. Lamellas are currently a very popular design, they will work well both in homes and restaurants, hotels or public facilities. SOLTHERM WALL SLATS WOOD PANEL is offered in ten colours. Colour intensity depends on a number of the finish glaze layers applied.



COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
PRIMER	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
ADHESIVE	SOLTHERM DA-P PANEL	kg	2,80	2,80
SOLTHERM WALL SLATS WOOD PANEL	SOLTHERM WALL SLATS WOOD PANEL	pcs.	2	2
PRIMER	SOLTHERM T	kg	0,20	0,10 ÷ 0,30
FINISH GLAZE	SOLTHERM DECO LAZUR	l	0,12	0,12

SOLTHERM DESIGN COLLECTION & SOLTHERM PANELS

SOLTHERM RIBBED EFFECT PANEL


SOLTHERM RIBBED EFFECT PANEL is a panel designed to give a corrugated / grooved or rib effect on building exterior. The corrugated finish is difficult to produce, but the effect is very impressive, once completed. To facilitate the process, SOLTHERM has developed SOLTHERM RIBBED EFFECT PANELS that are easy and fast to install and can be cut to size.



COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
PRIMER	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
ADHESIVE	SOLTHERM DA-P PANEL	kg	2,80	2,80
SOLTHERM RIBBED EFFECT PANEL	SOLTHERM RIBBED EFFECT PANEL	pcs.	2	2
EXTERIOR PAINT	SOLTHERM STC-P/ STC-P ECO-SHIELD	l	0,25	0,18-0,40

SOLTHERM RIBBED SHORT EFFECT PANEL


This is a smaller version of SOLTHERM RIBBED EFFECT PANEL, 110 cm long. What's new is that it is available in a chamfered version at an angle of 35° on both sides. This makes it possible to connect panels for the V-groove.



COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
PRIMER	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
ADHESIVE	SOLTHERM DA-P PANEL	kg	2,80	2,80
SOLTHERM RIBBED SHORT EFFECT PANEL	SOLTHERM RIBBED SHORT EFFECT PANEL	pcs.	4	4
EXTERIOR PAINT	SOLTHERM STC-P/ STC-P ECOSHIELD	l	0,25	0,18-0,40

SOLTHERM 3D EFFECT PANEL

SOLTHERM 3D EFFECT PANEL is a panel designed to produce three dimensional effects, including custom designs, on interior and exterior walls of new and existing buildings as well as in interiors .



GEOMETRY PANEL PATTERN 1



GEOMETRY PANEL PATTERN 2




WAVE PANEL PATTERN 3

COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
ADHESIVE	SOLTHERM DA-P PANEL	kg	2,40	2,40
3D PANELS	SOLTHERM DA-P CLEAR PANEL	pcs.	2	2
SEALER	SOLTHERM OM	kg	0,20	0,10-0,30

SOLTHERM DESIGN COLLECTION & SOLTHERM PANELS

SOLTHERM CONCRETE EFFECT PANEL

SOLTHERM CONCRETE EFFECT PANEL is a panel dedicated to creating decorative effects imitating formwork concrete on the external walls of existing and newly erected buildings, as well as inside the rooms. SOLTHERM CONCRETE EFFECT PANEL will be perfect for modern, minimalist and industrial arrangements, creating a unique visual effect. Visible streaks and discolorations emphasize the natural character of concrete.



LIGHT GREY

NATURAL CEMENT

COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
ADHESIVE	SOLTHERM DA-P PANEL	kg	2,40	2,40
SOLTHERM CONCRETE EFFECT PANEL	SOLTHERM CONCRETE EFFECT PANEL	pcs.	2	2
FINISH GLAZE (OPTIONALLY)	SOLTHERM DECO LAZUR	l	0,15	ok. 0,15

SOLTHERM CONCRETE EFFECT PANEL - CONCRETE SLIPS

Concrete slips are a new variant of SOLTHERM CONCRETE EFFECT PANEL panels. Concrete slips imitating brick are an excellent form of decorating the facade of a building in an industrial or loft style. They are also suitable for interior use, emphasizing the modern, minimalist character of the rooms.



4 X 40 CM

7 X 24 CM

COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
ADHESIVE	SOLTHERM DA-P PANEL	kg	2,40	2,40
SOLTHERM CONCRETE EFFECT PANEL - CONCRETE SLIPS	SOLTHERM CONCRETE EFFECT PANEL - CONCRETE SLIPS	pcs.	62 (4x40 cm); 62 (7x24 cm)	aprox. 62
FINISH GLAZE	SOLTHERM DECO LAZUR	l	0,15	ca. 0,15

SOLTHERM ELASTIC BRICK SLIPS - SOLTHERM BQS & SOLTHERM BQB

SOLTHERM BQS elastic brick slips developed by us is a state-of-the-art solution to give a touch of originality to your exterior. Elastic brick slips look great both on traditional or vintage design buildings, but they are more and more often an inspiration for modern minimalist designs.



COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 - 0,40
DISPERSION COMPOUND	SOLTHERM BQB	kg	2,40	2,40
ADHESIVE & POINTING MORTAR	SOLTHERM BQS	szl	48	2
POINTING MASS (If required)	SOLTHERM BQS MASS	kg	ca.0,15 ÷ 20 g/m.b.	15 ÷ 20 g/m.b.

DESIGN COLLECTION EFFECTS

SOLTHERM RUST EFFECT RENDER

Rust-textured plaster is the latest, original solution dedicated to a modern facade. Thanks to the unique composition of natural and artificial aggregate, you can easily achieve a unique effect. Decorative wall coverings with a rust effect are a way to emphasize the modern character of the facade. Due to its aesthetic values, it is a perfect complement to minimalist architecture. This effect is playing an increasingly important role in contemporary design.



Corten steel/TMD50

Dark rust/TMD51

Light rust/TMD52

Rust/BM50

Clean Rust/BM51

COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 ÷ 0,40
DECORATIVE RENDER	SOLTHERM TM DECO / DECO _{BM}	kg	3,70 / 3,00	2,90 ÷ 4,50 / 2,50 ÷ 3,50

SOLTHERM WOOD EFFECT RENDER - SOLTHERM WS

A solution, which combines the timeless appeal of wooden decorative elements with reliability and robustness of modern finishes. It will give a unique effect of wood board to your walls. With SOLTHERM WOOD you no longer have to worry about wood treatment and maintenance. And yet, you can enjoy a wood board finish in a colour you like. SOLTHERM WOOD is offered in eight colours - from light to very dark wood colour. It comes as SOLTHERM WOOD STAMP or SOLTHERM WOOD TR.

SOLTHERM WOOD EFFECT RENDER COLOURS




Golden Oak / BWD S 51

Natural Oak / BWD S 52


White Oak / BWD S 53

Dark Oak / BWD S 54


Ebony / BWD S 60



Mahogany / BWD S 55



Nut / BWD S 56




Medium Brown / BWD S 57



Cream / BWD S 58




Grey / BWD S 59



COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM T	kg	0,09	0,08 ÷ 0,10
RENDER	SOLTHERM WS	kg	4,50	ca. 1,5 (on 1 mm)
PRIMER	SOLTHERM T	kg	0,11	0,10 ÷ 0,12
DECORATIVE RENDER	SOLTHERM DECO LAZUR	l	0,15	0,15

SOLTHERM WOOD EFFECT RENDER - SOLTHERM TR



Golden Oak / BWD TR 51

Natural Oak / BWD TR 52

White Oak / BWD TR 53

Dark Oak / BWD TR 54

Ebony / BWD TR 60

Mahogany / BWD TR 55

Nut / BWD TR 56

Medium Brown / BWD TR 57

Cream / BWD TR 58


Grey / BWD TR 59

COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 ÷ 0,40
RENDER	SOLTHERM TR	kg	1,75	1,75 (thickness 1 mm)
DECORATIVE RENDER	SOLTHERM DECO LAZUR	l	0,15	ca. 0,15

DESIGN COLLECTION EFFECTS

SOLThERM DECO WITH MICA PARTICLES

The DECOMIKA effect has been specially developed for those who love expressive visual effects. Render finish imitating stone is filled with mica particles, which give outstanding visual effects (glitter effect). It can be applied to large surfaces to create original decorative finishes. Bolix Decomica provides a perfect alternative for multi-component, composite and multi-layered finishes. This easy-to-apply product will give a special finish to your building facade. Comes in 38 colours.




COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLThERM AP COLOUR	kg	0,33	0,25 ÷ 0,40
DECORATIVE RENDER	SOLThERM DECO AMC	kg	3,70	2,90 ÷ 4,50

The colours presented are printed, therefore take them as a reference guide only.

DESIGN COLLECTION EFFECTS

SOLTHERM DECO_{BM}

SOLTHERM DECO_{BM} is a range of colourful decorative exposed aggregate finishes, providing natural stone effect that will give a new look to your interior as well as exterior walls of new and existing buildings. It is easy to apply and comes in various colours so that you can quickly achieve the desired effect. Composed of carefully selected aggregate and premium acrylic binders, it gives a decorative touch to building surfaces. This ready-mixed render finish provides high resistance to mechanical damage and UV radiation as well as increased weather resistance and to fungal and algal growth, what make it perfect for cornices, plinths, pilasters, etc. The render comes in 36 colours.



COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM AP COLOUR	kg	0,33	0,25 ÷ 0,40
DECORATIVE RENDER	SOLTHERM DECO _{BM}	kg	3,00	2,50 ÷ 3,50

The colours presented are printed, therefore take them as a reference guide only.

DESIGN COLLECTION EFFECTS

SOLTHERM CONCRETE EFFECT RENDER

This render producing a faux concrete effect makes an excellent example of a modern interpretation of timeless elegance. It brings raw, industrial-inspired effect to create an attractive and modern textural finish that will match even the most sophisticated decorative concepts. What is more, it blends in perfectly with metal, wood or glass, providing a unique textural look of concrete. Application of a special glaze will give a fantastic final touch to it as it offers unlimited possibilities to play with shades.



SnowWhite
Beton 01
SOLTHERM WS



Natural Cement
Beton 01
SOLTHERM TBR



Anthracite Dark
Beton 02
SOLTHERM TBR



IMPRESSED



TEXTURED

COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM T	kg	0,09	0,08 - 0,10
DECORATIVE RENDER	SOLTHERM TBR	kg	4,00	3,00 - 5,00
PRIMER	SOLTHERM T	kg	0,11	0,10 - 0,12
FINISH GLAZE	SOLTHERM DECO LAZUR	l	0,12	0,12

COMPONENTS	NAME OF PRODUCT	UNIT	COVERAGE [UoM/m ²]	COVERAGE RANGE [UoM/m ²]
KEY COAT	SOLTHERM T	kg	0,09	0,08 - 0,10
DECORATIVE RENDER	SOLTHERM WS	kg	4,50	3,00 - 5,00
PRIMER	SOLTHERM T	kg	0,11	0,10 - 0,12
FINISH GLAZE	SOLTHERM DECO LAZUR	l	0,12	0,12



SOLTHERM

FOR MORE INFORMATION
PLEASE CONTACT:

www.soltherm-ie.com